

पनवेल महानगरपालिका

अग्निशमन विभाग

अंदाज दरपत्रके मागविण्यास सुचना

पनवेल महानगरपालिका खालील कामासाठी इच्छुक संस्था यांचेकडून जाहिर माहोरबंद अंदाज दरपत्रके मागवित आहेत. इच्छुकांनी परिपूर्ण भरलेली अंदाज दरपत्रके सीलबंद करून दिनांक ०२/०३/२०२६ पासून ते दिनांक ०९ / ०७ /२०२६ रोजी दु. ३.०० वाजेपर्यंत महापालिकेच्या अग्निशमन विभागात सादर करावीत. सदर तारखेनंतर प्राप्त झालेली कोणतीही दरपत्रक स्वीकारले जाणार नाही. प्राप्त झालेली दरपत्रके दिनांक १० / ०७/२०२६ रोजी उप आयुक्त यांच्या दालनात दरपत्रक धारक अथवा त्यांचे समक्ष सायं. ०४.०० वा. उघडणेत येतील.

विषय: अग्निशमन विभागास आवश्यक व अत्याधुनिक साहित्य व उपकरणे खरेदी करणेबाबत.				
Sr. No.	Category wise Item	Specs.	Qty	Rate With GST
*	Fire Suppression Equip.			
1	Delivery hose (63 mm,38mm)-15mtr length	IS 636:2018, IS 14933:2001 high quality synthetic yarn, RRL.	1	
2	hand controlled branch	Constant flow/Adjustable Flow, 63mm male instantaneous,jet spray and fog pattern, 150-250 flow rate (GPM)	1	
3	hose reel hose branch	(Firefly/Forede) working pressure min 6 and max 40bar, flow range 20-50-100-150 LPM @6bar and 400LPM@40bar	1	
4	couplings (Male,female,instantaneous)		1	
5	foam compound cans 20 L	AFFF	1	
6	foam branch FB (2x,5x,10x)		1	
	Extinguishers	Is 4989	1	
7	DCP(6Kg,9Kg, trolley mounted)	Is 2097:2012, Aluminium alloy or stainless steel, fb 2x- 60 GPM, throw range 18 mtrs, FB 5X- 225-250LPM/60-66GPM(Self inducting type having foam control valve) FB 10x-120GPM	1	
8	CO2(6 Kg, 15 kg trolley mounted)	Is 15683,Stored pressure type.	1	
9	Fire Blankets	Fiberglass or wool-coated blanket (1.2×1.8 m)	1	
10	First Aid Kit & CPR Kit	Comprehensive trauma kit (bandages, splints, airway, etc.) and Automatic External Defibrillator (AED).	1	
11	Folding Stretcher	Aluminium foldable stretcher with waterproof canvas and safety belts.	1	
12	full Safety Harness and Lifeline		1	
13	Self-Contained Breathing Apparatus (SCBA) set	(Dragger) Cabonfiber backplate cylinders, with 300 bar pressure:45 min working time.	1	

14	BA Set Compressor	High-pressure air compressor, oil-free type, automatic shutoff, compatible with SCBA cylinders.	1	
15	Portable Public Address (PA)	portable public address system with speaker and mic	1	
16	Portable Spreader and cutter(battery operated) with battery packs(with one extra battery)	Operational weight (incl. PP1) 17.4 kg (± 0.2), Spreading force at base of blade (last tooth) 117 - 1075 kN/ 11.9 - 110 ton, Pulling force (in pulling eyes) 50.6 - 59.7 kN / 5.2 - 6.1 ton, Squeezing force 25 mm from tips 38.8 - 43.6 kN/ 4.0 - 4.4 ton Max. cutting force 725 kN / 73.9 ton EN 13204 classification CK32.5-354H-17.4 NFPA 1936 Compliant (ResQtec,Holmatro)	1	
17	Hydraulic pump driven Spreader and cutter	Operational weight 15.8 kg (± 0.2 kg), Max. spreading opening 434 mm, Spreading force base of blade (last tooth) 131 - 1570 kN / 13.4 - 160 ton, Pulling force (in pulling eyes) 74.2 - 89.4 kN / 7.6 - 9.1 ton, Squeezing force 25 mm from tips 57.5 - 67.3 kN / 5.9 - 6.9 ton, Max. cutting force 1035-kN/137.7 ton Round bar capability (s235 acc. To EN 13204) 40mm EN 13204 classification F CK44.8 - 434J 15.8, NFPA Compliant(ResQtec,Holmatro)	1	
18	Electric Chain Saw (Wood),Electric,Battery operated.	Heavy-duty forged steel blade with ergonomic insulated handle. (Stihl)	1	
19	Circular Saw (Concrete/Metal)	Power Source Petrol, Output power 4.8kW, Cutting depth, max 125mm, Blade diameter max 350mm.	1	
20	Padlock		1	
21	Bolt Cutters / Wire Cutters	Material:Chromium-Vanadium Steel,79L x 24.8W ,Centimeters,handle:Rubber	1	
22	Large Axes		1	
23	Firemen Axe with pouch	(AAAG) material: Forged Steel Rubber Insulated Handle,Voltage:Withstands up to 20,000 volts, Leather Pouch,IS 926.	1	
24	Halligan Tool		1	
25	Telescopic Ram Battery operated	Operational weight 16.4 kg (± 0.2 kg), Weight (excl. Battery) 15.4 kg (± 0.2 kg), Dimensions incl. detachable rear jaw (L x W x H) 636 x 133 x 355 mm, Max. extended length incl. detachable rear jaw 936 mm, Max. stroke 300 mm, NFPA 1936 Compliant.	1	
26	Airbags (pneumatic Lifting Bags)	material reinforced with 3 aramideinlays,air content (8 bar/116 psi) 28.3 gal / 3.8 cu ft , max. working pressure 174 psi EN 3731 compliant Yes	1	
27	Portable inflatable light tower	Total lumens output 42000, Directional lighting 10000 Sqmtr., Genset 750VA, total workin hours 5.5 hours with one full fuel charge, total height 4.5 mtrs,Ingress protection rating of the inflated tower only as per IS:10322 Part 1/82 IPX5 (Aska)	1	

28	Rescue Rope (Fixed)		1	
29	Gas Detectors (Multi-Gas)	Portable battery multi-gas meter (4-6 gas). NFPA 1971 for intrinsically safe units (eg. 3M/Pbm x).	1	
30	Decontamination Kit		1	
31	Absorbent/Hazard Spill Kit	Granular absorbent (20-50 kg), booms, neutralizers (if acids). Shovels, disposal bags	1	
32	Inflatable boat(s) with OBM		1	
33	Floating pump	Model : B&S 4-stroke air cooled, petrol OHV • Displacement / Power : 190 cc / 6 hp (approx)• Bore x Stroke : 68 x 52 mm• Air Cleaner/muffler : Water resistant• Ignition System : Transistorized Magneto • Fuel Tank Capacity : 1.2 Ltr. • Starting System : recoil Pump • Type : Single Suction, Centrifugal• Casing : Aluminum - Anodized / Powder Coated• Impeller : Aluminum - Anodized / Powder Coated• Outlet : 63 mm instantaneous• Performance : > 1000 l/min • Delivery Height : >15 m• Solids : Ø20 mm• Min Water Depth : 20 mm of water• Dimensions (L x W x H) : 690 x 550 x 400 mm• Weight : 30 kgs(Integral)	1	
34	life jackets	It shouldd be strapped around thighs and proper fit to body	1	
35	buoyant throw ropes		1	
36	lifebuoys		1	
37	anchors and tether lines		1	
38	Portable LED floodlights		1	
39	mud/sand shovels		1	
40	portable generators (5-10 kVA) with fuel		1	
41	spades		1	
42	pickaxes		1	
43	Bird Rescue Stick with hook		1	
44	rescue nets		1	
45	Portable Pumps	4 stroke 2 Cylinder Air Cooled Make - Briggs & Stratton 'Vanguard' EFI Engine Power - 37 hp at 3600 rpm Battery - 12 Volt 3 Years WarrantySingle Stage Centrifugal Pump Suction - 1 x 100 mm *British Standard Round Threaded Delivery - 2 x 63 mm *British Standard Female CouplingDrain Valve Hose Pressure Relief Knob	1	

		provided on delivery valve Clutch Driven Rotary Vane Type Priming System Capable of lifting from 7.0 meters depth within 24 seconds Maximum Suction Lift - 8.0 meters Crafted from Stainless Steel for better performance Sturdy Stainless Steel Cradle 4 Spring loaded foldable handles Ergonomically designed control panel Equipped with sufficient anti-vibration pads for silent operation Flood Lamp for night operations certification PFPN 10-750, EN 14466 (Firefly)		
46	Untruss Ladder	35 ft aluminium alloy fire service ladder, anti-skid rungs, corrosion-resistant, lightweight heavy-duty construction conforming to fire service standards.	1	
47	Ceiling Hooks	High carbon steel hook with insulated fiberglass handle, rust-proof coating, heavy-duty grip.	1	
48	Manila Rope	Natural Manila fiber rope, high tensile strength, 20-24 mm diameter, weather-resistant.	1	
49	Extension Cable box	Industrial-grade copper wiring, fire-retardant insulation, waterproof heavy-duty cable reel type.	1	
50	Snake Stick	Stainless steel snake catcher with non-slip grip and extendable pole.	1	
51	Hose Ramp	Heavy-duty rubber hose ramp with reflective strips and anti-slip surface.	1	
52	Hand Gloves Cotton	Double-layer industrial cotton gloves with reinforced stitching.	1	
53	Hand Gloves Rubber	ISI-marked insulated rubber gloves, heat and chemical resistant.	1	
54	Jumping Sheet	Heavy-duty fire rescue jumping sheet with reinforced handles and shock-absorbing fabric	1	
55	Rope Ladder	High-strength synthetic rope ladder with aluminium/wooden anti-slip steps.	1	
56	Guideline	Fluorescent braided rescue guideline rope with reflective markers.	1	
57	Full Body Harness	ISI/EN-certified full-body safety harness with shock absorber and double lanyard.	1	
58	Goggles	Anti-fog polycarbonate safety goggles with impact resistance.	1	
59	Extension Saw	Telescopic heavy-duty pruning saw with hardened steel blade.	1	
60	Mortar Pan	Heavy-duty rubber/plastic mortar pan with reinforced edges.	1	
61	Reflector Transparent Jackets	Fluorescent reflective transparent safety jackets with high-visibility reflective tape.	1	
62	Siren Lights set for vehicles	Waterproof LED multi-tone siren lights system with high-intensity flash and public address compatibility. Powerful siren (≥ 120 dB) or PA on station roof/hub for mass alerts.	1	

63	Technical Rescue rope kit (Basic Rescue Kit)	<p>Technical Rescue Rope Kit (Basic Rescue Kit – Rope Access, Model PN652) – Consisting of Tower Harness (EN 361:2002, EN 358:2018 & EN 813:2008), Grip Descender (EN 341:2011 Type 2 Class A & EN 12841:2006 Type C), Work Positioning Lanyard (2.0 m), Cross Arm Strap (1.2 m), 50 m Kernmantle Rope Anchorage Line (EN 1891:1998), Steel Quarter Turn Locking Karabiner (EN 362:2004 Class B), Energy Absorbing Forked Lanyard (1.5 m), Rope Grab Blocker, Webbing Cow's Tail, Cross Arm Strap, Rescue Knife, Universal Carry Bag and Safety Gloves, complete with CE certification and suitable for emergency rope access and height rescue operations.</p>	1	
----	--	---	---	--

अटी व शर्ती :-

- १) सर्व नमूद जीएसटी / व्हॅट / वाहतूक खर्च यांसह नमूद असावेत.
- २) सदरकामी वापरण्यात येणारे साहित्य चांगल्या प्रतीचे वापरले जावे.
- ३) या कामी निव्वळ अदांजिय दरपत्रके मागणी करीत असल्याने या बाबत निविदाधारकाच्या कोणत्याही अटीस सदरचा विभाग बांधिल असनार नाही.

Digitally signed by
Kailas Balu Gawade

Date: 01-07-2026

(कैलास गवडे)

15:35:56

उपआयुक्त (मुख्यालय-1)

पनवेल महानगरपालिका

जा.क्र./पमपा/अग्नि/२६२१/प्र.क्र.१६/ ११२१ /२०२६

दिनांक :- ०१/०७/२०२६

ठिकाण :- पनवेल महानगरपालिका, पनवेल.